

EAST SEARCH

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S57	61	connection adj object same session	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 12:46
S58	35	connection adj object same session and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 12:49
S59	13	connection adj object same session and (@ad<"20010404" or @rlad<"20010404") and hash	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 13:19
S60	0	connection adj object same session and (@ad<"20010404" or @rlad<"20010404") and (weak strong) with (pointer reference)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 12:51
S61	34	connection adj object same session and (@ad<"20010404" or @rlad<"20010404") and (pointer reference)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 12:51
S62	13	connection adj object same session and (@ad<"20010404" or @rlad<"20010404") and hash and connection adj object	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 13:23
S63	0	"6047295".pn. and connect\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 13:23
S64	1	"6047295".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 17:50
S65	1	"5900001".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 18:54
S66	0	timer same (conclusion end) with (read write) same (garbage near3 collect\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 17:52
S67	2	timer same (conclusion end) same (read write) same (garbage near3 collect\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 17:55
S68	585	timer same (conclusion end) same (read write) same connect\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 17:56

S69	1	timer same (conclusion end) same (read write) same (connect\$ adj object)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 17:56
S70	1	timer same (conclusion end) same (read write) same (connect\$ with object)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 17:57
S71	284	timer with using with connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 17:58
S72	1	timer with (done finished) with using with connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 17:58
S73	45	timer with (done finished) with connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 17:58
S74	33	timer with (done finished) with connection and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 17:59
S75	0	timer with (done finished) with connection and (@ad<"20010404" or @rlad<"20010404") and java	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 17:59
S76	126	weak adj reference	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 17:59
S77	58	weak adj reference and (java jvm)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 17:59
S78	28	weak adj reference and (java jvm) and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 18:00
S79	8	weak adj reference and (java jvm) and timer and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 18:01
S80	2787	timer same (conclu\$ end ending) with (connection process) and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 18:02

S81	1231	timer with (conclu\$ end ending) with (connection process) and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 18:02
S82	82	timer with (conclu\$ end ending) with (connection process) same communication and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 18:03
S83	0	timer with (conclu\$ end ending) with (connection process) same communication and (java jvm) and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 18:03
S84	19	timer with (conclu\$ end ending) with (connection process) and (java jvm) and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 18:06
S85	2	(start starts starting started) near4 timer with (conclu\$ end ending) with (connection process) and (java jvm) and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 18:07
S86	13	(start starts starting started) near4 timer with (conclu\$ end ending) and (java jvm) and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 18:09
S87	7	idle near4 timer with (conclu\$ end ending) and (java jvm) and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 18:09
S89	47	idle near4 timer with (conclu\$ end ending) and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 18:51
S90	8	idle near4 timer with (conclu\$ end ending) and (java jvm virtual) and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 18:51
S91	1	"5900001".pn. and timer	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 18:58
S92	1	"6047295".pn. and time\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:01

S93	1	"6047295".pn. and hash	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:03
S94	631	maintain adj session	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:03
S95	214	maintain adj session and (jvm java (virtual adj machine))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:03
S96	65	maintain adj session and java adj virtual adj machine	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:05
S97	57	maintain adj session and java adj virtual adj machine and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:04
S98	0	maintain adj session and java adj virtual adj machine and (@ad<"20010404" or @rlad<"20010404") and weak near reference	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:04
S99	0	maintain adj session and java adj virtual adj machine and (@ad<"20010404" or @rlad<"20010404") and weak with reference	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:04
S10 0	0	maintain adj session and java adj virtual adj machine and (@ad<"20010404" or @rlad<"20010404") and (weak strong) with reference	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:04
S10 1	31	maintain adj session and java adj virtual adj machine and (@ad<"20010404" or @rlad<"20010404") and weak	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:04
S10 2	31	maintain adj session and java adj virtual adj machine and (@ad<"20010404" or @rlad<"20010404") and (weak weakly)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:05
S10 3	0	maintain adj session and java adj virtual adj machine and (@ad<"20010404" or @rlad<"20010404") and (weak weakly) not bowman.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:05

S10 4	34	maintain adj session and java adj virtual adj machine not bowman. in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:05
S10 5	26	maintain adj session and java adj virtual adj machine not bowman. in. and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:16
S10 6	1	maintain adj session and java adj virtual adj machine not bowman. in. and (@ad<"20010404" or @rlad<"20010404") and timer	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:09
S10 7	0	US-6,539,494 US-6,178,439 US-6,701,438 US-6,745,387 US-6,385,642 US-5,951,643 US-6,098,093 US-6,052,730 US-6,615,235 US-6,308,212 US-6,684,390 US-6,584,548	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:11
S10 8	0	(US-6,539,494 US-6,178,439 US-6,701,438 US-6,745,387 US-6,385,642 US-5,951,643 US-6,098,093 US-6,052,730 US-6,615,235 US-6,308,212 US-6,684,390 US-6,584,548).DID.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:12
S10 9	12	("6,539,494" "6,178,439" "6,701,438" "6,745,387" "6,385,642" "5,951,643" "6,098,093" "6,052,730" "6,615,235" "6,308,212" "6,684,390" "6,584,548").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:12
S11 0	10	S109 and session	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:12
S11 1	9	S109 and java	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:12
S11 2	0	S109 and timer	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:12
S11 3	113	maintain with session and java adj virtual adj machine not bowman. in. and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:16
S11 4	32	maintain with session and java adj virtual adj machine not bowman. in. and (@ad<"20010404" or @rlad<"20010404") and (timer (time with threshold))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:17

S11 5	10	maintain with session and java adj virtual adj machine not bowman. in. and (@ad<"20010404" or @rlad<"20010404") and (timer (time with threshold))	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:19
S11 7	9	maintain with session and timer with disconnect and (@ad<"20010404" or @rlad<"20010404")	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:20
S11 8	53	709/227.ccls. and session and (jvm (virtual adj machine))	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:21
S11 9	51	709/227.ccls. and session and (jvm (virtual adj machine)) and (@ad<"20010404" or @rlad<"20010404")	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:22
S12 0	51	709/227.ccls. and session and (jvm (virtual adj machine)) and (@ad<"20010404" or @rlad<"20010404") not IBM.as.	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:21
S12 1	40	709/227.ccls. and session and (jvm (virtual adj machine)) and (@ad<"20010404" or @rlad<"20010404") not "international business machines". as.	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:21
S12 2	19	709/227.ccls. and session and (jvm (virtual adj machine)) and timer and (@ad<"20010404" or @rlad<"20010404")	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:22
S12 3	3	709/227.ccls. and session and (jvm (virtual adj machine)) and (session same (timer threshold)) and (@ad<"20010404" or @rlad<"20010404")	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:25
S12 4	4	709/227.ccls. and session and (jvm (virtual adj machine)) and (session same (timer threshold)) and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:25
S12 5	22	709/227.ccls. and session and (jvm (virtual adj machine)) and timer and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:25
S12 6	25	709/227.ccls. and session and (jvm (virtual adj machine)) and (timer timeout) and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:26

S12 7	7	709/227.ccls. and session and (jvm (virtual adj machine)) and garbage and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:26
S12 8	7	709/227.ccls. and session and (jvm (virtual adj machine)) and (garbage trash) and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:47
S12 9	1	"5878420".pn. and new with object	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:49
S13 0	1	"5878420".pn. and new with connection adj object	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:49
S13 1	35	new with connection adj object and "709".clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:49
S13 2	27	new with connection adj object and "709".clas. and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:50
S13 3	11	new adj connection adj object and "709".clas. and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:50
S13 4	0	new with connection adj object same (destroy\$ garbage trash) and "709".clas. and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:50
S13 5	2	new with connection adj object same (destroy\$ garbage trash) and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:51
S13 6	2	(new second another) with connection adj object same (destroy\$ garbage trash) and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:53
S13 7	12	(new second another) with connection adj object same (destroy\$ garbage trash delete\$) and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 20:00

S13 8	10	S137 not S136	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:54
S13 9	9	(new second another) with connection adj object same (remove\$) and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:59
S14 0	3	(new second another) with connection adj object same (removing) and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 19:59
S14 1	0	(other) with connection adj object same (destroy\$ garbage trash delete\$) and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 20:00
S14 2	4	(additional) with connection adj object same (destroy\$ garbage trash delete\$) and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 20:02
S14 4	713	new adj object same (destroy\$ garbage trash delete\$) and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 20:02
S14 5	126	new adj object with (destroy\$ garbage trash delete\$) and (virtual adj machine) and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 20:03
S14 6	59	new adj object near5 (destroy\$ garbage trash delete\$) and (virtual adj machine) and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 20:03
S14 7	54	new adj object near5 (destroy\$ garbage trash delete\$) and (virtual adj machine) same java and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 20:03
S14 8	41	new adj object near5 (destroy\$ garbage trash delete\$) and (virtual adj machine) same java and (@ad<"20010404" or @rlad<"20010404")	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 20:03

S15 0	38	new adj object near5 (destroy\$ garbage trash delete\$) and (virtual adj machine) same java and (@ad<"20010404" or @rlad<"20010404") not "international business machine". as.	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 20:05
S15 1	38	(new adj object near5 (destroy\$ garbage trash delete\$)) and (virtual adj machine) same java and (@ad<"20010404" or @rlad<"20010404") not "international business machine". as.	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 20:06
S15 2	38	("new" adj object near5 (destroy\$ garbage trash delete\$)) and (virtual adj machine) same java and (@ad<"20010404" or @rlad<"20010404") not "international business machine". as.	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 20:09
S15 3	13	((creat\$) with "new" adj object near5 (destroy\$ garbage trash delete\$)) and (virtual adj machine) same java and (@ad<"20010404" or @rlad<"20010404") not "international business machine". as.	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 20:15
S15 4	71	((timer cycle) with (destroy\$ garbage trash delete\$)) and (virtual adj machine) same java and (@ad<"20010404" or @rlad<"20010404") not "international business machine". as.	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 20:16
S15 5	0	((timer) with (destroy\$ garbage trash delete\$)) and (virtual adj machine) same java and (@ad<"20010404" or @rlad<"20010404") not "international business machine". as.	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 20:16
S15 6	1	((clock) with (destroy\$ garbage trash delete\$)) and (virtual adj machine) same java and (@ad<"20010404" or @rlad<"20010404") not "international business machine". as.	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 20:16

S15 7	111	((time) with (destroy\$ garbage trash delete\$) with object) and (virtual adj machine) same java and (@ad<"20010404" or @rlad<"20010404") not "international business machine". as.	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 20:17
S15 8	1	"6047295".pn. and (time timer cycle clock)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 20:18
S15 9	1	"5878420".pn. and (time timer cycle clock)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 20:19
S16 0	791	(garbage trash) adj collect\$ with time	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 20:34
S16 1	796	(garbage trash) adj collect\$ with (time timer)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 20:19
S16 2	15	(garbage trash) adj collect\$ with (timer)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 20:20
S16 3	12	(garbage trash) adj collect\$ with (timer) and computer	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 20:20
S16 4	862	(garbage trash) near2 collect\$ with time	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 20:34
S16 5	575	(garbage trash) near2 collect\$ with time and computer	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 16:22
S16 8	240	(connection adj object) and (timeout (time adj out))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 16:28
S16 9	39	(connection adj object) same (timeout (time adj out))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 16:28
S17 0	34	(connection adj object) same (timeout (time adj out)) and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 16:30
S17 2	34	(connection adj object) same (timeout (time adj out)) and (@ad<"20010404" or @rlad<"20010404") not "international business machines". as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 16:30

S17 3	27	(connection adj object) same (timeout (time adj out)) with connection and (@ad<"20010404" or @rlad<"20010404") not "international business machines". as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 17:41
S17 4	1	"5900001".pn. and time\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 17:42
S17 5	1	"6047295".pn. and time\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 17:43
S17 6	1	"6366558".pn. and time\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 17:45
S17 7	1	"6047295".pn. and weak	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 18:08
S17 8	1	"6047295".pn. and reference	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 19:46
S17 9	1	"6047295".pn. and weak adj reference with object	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:03
S18 0	0	"6047295".pn. and weak adj reference with delete	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 19:50
S18 1	0	"6047295".pn. and object with delete	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 19:49
S18 2	0	"6047295".pn. and delete\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 19:50
S18 3	1	"6047295".pn. and weak	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 19:50
S18 4	1	"6047295".pn. and weak adj reference with collect\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 19:52

S189	1	"6047295".pn. and weak with determin\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:10
S190	18	weak adj reference same (remov\$ destroy\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:10
S191	8	weak adj reference same (remov\$ destroy\$) and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:11
S192	9	weak adj reference same (exist\$) and (@ad<"20010404" or @rlad<"20010404")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:12
S193	5	weak adj reference same (exist\$) and (@ad<"20010404" or @rlad<"20010404") not "international business machines". as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:19
S194	5	weak adj reference same (exist\$) and (remov\$ delet\$) and (@ad<"20010404" or @rlad<"20010404") not "international business machines". as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:20
S195	52	weak with reference same (exist\$) and (@ad<"20010404" or @rlad<"20010404") not "international business machines". as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:19
S196	32	weak with reference same (exist\$) and (remov\$ delet\$) and (@ad<"20010404" or @rlad<"20010404") not "international business machines". as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:20
S197	17	weak with reference same (exist\$) and (remov\$ delet\$) and (@ad<"20010404" or @rlad<"20010404") not "international business machines". as. and computer	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:20
S198	3	weak with reference same (exist\$) and (remov\$ delet\$) and (@ad<"20010404" or @rlad<"20010404") not "international business machines". as. and computer and virtual adj machine	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:21

S19 9	3	weak with reference same (exist\$) and (remov\$ delet\$) and (@ad<"20010404" or @rlad<"20010404") not "international business machines". as. and computer and virtual adj machine and determin\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:21
S20 0	17	weak with reference same (exist\$) and (remov\$ delet\$) and (@ad<"20010404" or @rlad<"20010404") not "international business machines". as. and computer and determin\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:22
S20 1	8	(weak with reference same (exist\$)) and ((weak with reference) same (remov\$ delet\$ destroy\$ collect\$)) and (@ad<"20010404" or @rlad<"20010404") not "international business machines". as. and computer and determin\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:25
S20 2	8	(weak with reference same (exist\$)) and ((weak with reference) same (remov\$ delet\$ destroy\$ collect\$)) and (@ad<"20010404" or @rlad<"20010404") not "international business machines". as. and computer and determin\$ with object	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:26
S20 3	6	(weak with reference same (exist\$)) and ((weak with reference) with (remov\$ delet\$ destroy\$ collect\$)) and (@ad<"20010404" or @rlad<"20010404") not "international business machines". as. and computer and determin\$ with object	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:34
S20 4	6	(weak with reference same (exist\$)) and ((weak with reference) with (remov\$ delet\$ destroy\$ collect\$)) and (@ad<"20010404" or @rlad<"20010404") not "international business machines". as. and computer and (determin\$ with object)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:36

S20 5	8	(weak with reference same (exist\$)) and ((object) with (remov\$ delet\$ destroy\$ collect\$)) and (@ad<"20010404" or @rlad<"20010404") not "international business machines". as. and computer and (determin\$ with object)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:36
S20 6	7	(weak with reference same (exist\$)) and ((object) with (remov\$ delet\$ destroy\$)) and (@ad<"20010404" or @rlad<"20010404") not "international business machines". as. and computer and (determin\$ with object)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:42
S20 7	1	(reuse reusing) with (connection adj object) and (weak adj reference)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:42
S20 8	2	(reuse reusing) with (connection adj object)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:43
S20 9	2	(reuse reusing) with (connection with object) and (weak near5 referenc\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:44
S21 0	2	(reuse reusing re-use re-using) with (connection with object) and (weak near5 referenc\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:44
S21 1	94	(reuse reusing re-use re-using) with (connection with object)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:44
S21 2	7	(reuse reusing re-use re-using) with (connection with object) same referenc\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:44
S21 3	3	(reuse reusing re-use re-using) with (connection with object) same referenc\$ and (@ad<"20010404" or @rlad<"20010404") not "international business machines". as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:45

S21 5	30	(reuse reusing re-use re-using) with (object reference) same session and (@ad<"20010404" or @rlad<"20010404") not "international business machines". as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:46
S21 6	10	(reuse reusing re-use re-using) with (object reference) same session and (@ad<"20010404" or @rlad<"20010404") not "international business machines". as. and "709".clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:47
S21 7	27	(reuse reusing re-use re-using) with (object reference) same session and (@ad<"20010404" or @rlad<"20010404") not "international business machines". as. and network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:47
S21 8	17	S217 not S216	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:47
S21 9	4	(reuse reusing re-use re-using) with (object reference) same session same connect\$ and (@ad<"20010404" or @rlad<"20010404") not "international business machines". as. and network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:49
S22 0	4	(reuse reusing re-use re-using) with (object reference) same session same connect\$ and (@ad<"20010404" or @rlad<"20010404") not "international business machines". as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:49
S22 1	21	(reuse reusing re-use re-using) with (connection) same session same connect\$ and (@ad<"20010404" or @rlad<"20010404") not "international business machines". as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/30 20:50
S22 2	2	(reuse reusing re-use re-using) with (connection) same session same (object reference) and (@ad<"20010404" or @rlad<"20010404") not "international business machines". as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 14:27

S22 8	1	"6047295".pn. and garbage	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 15:10
S22 9	1	"6047295".pn. and available	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 15:11
S23 1	148	weak near reference	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 15:12
S23 2	55	(weak near reference) and connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 15:12
S23 3	28	(weak near reference) and connection and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 15:13
S23 4	25	(weak near reference) and connection and object and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 15:13
S23 5	9	(weak near reference) and connection same object and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 15:17
S23 6	0	(weak near reference) and connection same object same server and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 15:15
S23 7	1	(weak near reference) same server and connection same object and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 15:15
S23 8	4	(weak near reference) and connection same object and server and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 15:32
S24 0	1	"6598094".pn. and server same weak	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 15:34
S24 1	4	notif\$ with server with referenc\$ with unreferenc\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 15:35

S24 2	1	notif\$ with server with referenc\$ with unreferenc\$ same connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 15:35
S24 3	1	notif\$ with server with referenc\$ same unreferenc\$ same connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 15:35
S24 4	1	notif\$ with server same referenc\$ same unreferenc\$ same connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 15:35
S24 5	1	(notif\$ tell send message messaging) with server same referenc\$ same unreferenc\$ same connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 15:36
S24 6	1	(notif\$ tell send message messaging) with server same referenc\$ same unreferenc\$ same connect\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 15:36
S24 7	2	connect\$ same ((time adj out) timeout time-out) with referenc\$ with object	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 15:37
S24 8	2	connect\$ same ((time adj out) timeout time-out) with referenc\$ same object	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 15:37
S24 9	20	connect\$ same ((time adj out) timeout time-out) same referenc\$ with object	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 15:38
S25 0	16	connect\$ same ((time adj out) timeout time-out) same referenc\$ with object and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 15:53
S25 1	158	weak same referenc\$ with object and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 15:53
S25 2	0	weak same referenc\$ with connection near4 object and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 15:54
S25 3	0	weak same referenc\$ with connection with object and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 15:54

S25 4	3	weak same referenc\$ with server with object and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 15:54
----------	---	---	---	----	----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1219	object with (store stores stored storing) with (both two second another) with (table hash map) and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/02 16:52
S2	299	object near3 (store stores stored storing) with (both two second another) with (table hash map) and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/02 16:52
S3	104	object near3 (store stores stored storing) near3 (both two second another) with (table hash map) and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/02 16:52
S4	4	object near3 (store stores stored storing) near3 (both two second another) with (table hash map) and (@ad<"20010427" or @rlad<"20010427") and ("709". clas. or "370".clas.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/02 16:54
S5	9	object near3 (store stores stored storing) near3 (both) with (table hash map) and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/02 16:58
S6	1	"6047295".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/02 17:01
S8	126	(shadow adj map) shadowmap and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/02 17:02
S9	126	(shadow adj map) shadowmap and (@ad<"20010427" or @rlad<"20010427") and connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/02 17:03
S10	126	(shadow adj map) shadowmap and (@ad<"20010427" or @rlad<"20010427") and object	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/02 17:02
S11	126	(shadow adj map) shadowmap and (@ad<"20010427" or @rlad<"20010427") and connection near object	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/02 17:03
S12	0	((shadow adj map) shadowmap) and (@ad<"20010427" or @rlad<"20010427") and connection near object	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/02 17:03

S13	45	((shadow adj map) shadowmap) and (@ad<"20010427" or @rlad<"20010427") and connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/02 17:03
S14	2	((shadow adj map) shadowmap) and (@ad<"20010427" or @rlad<"20010427") and connection with object	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/02 17:05
S15	69	object with (multiple adj tables) and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/02 17:06
S16	15	(store storing stores stored) with object with (multiple adj tables) and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/02 18:13
S17	14	(reuse reusing) near3 connection with session	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/02 18:14
S18	11	(reuse reusing) near3 connection with session and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/02 18:15
S19	6	(US-6145126-\$ or US-5761511-\$ or US-6047295-\$ or US-5987463-\$ or US-6073175-\$ or US-6338089-\$).did.	USPAT	OR	ON	2005/09/02 18:42